# Champion Pump

# SUBMERSIBLE SOLIDS HANDLING PUMP

Series: CP8NC

36-48 HP / 1150 RPM

Discharge: 8"

Spherical solids handling: 3"



8", 125 lb, flange horizontal.

# **LIQUID TEMPERATURE**

104°F (40°C).

#### **VOLUTE**

Cast iron ASTM A-48 class 30.

## **MOTOR HOUSING**

Cast iron ASTM A-48 class 30.

### **SEAL PLATE**

Cast iron ASTM A-48 class 30.

#### **IMPELLER**

**Design:** 3 vanes, closed, with a bronze wear ring and

vanes on back side.

Material: cast iron ASTM A-48 class 30.

### **SHAFT**

416 series stainless steel.

### **SQUARE RINGS**

Square shaped Buna-N.

#### **PAINT**

Air dry enamel, water based.

### **DIAPHRAGM**

Buna-N.



300 series stainless steel.

#### **SEAL**

**Design:** double, mechanical, oil filled chamber. **Material:** silicon carbide outboard seal, carbon ceramic inboard seal, Buna-N elastomer and stainless steel hardware.

## **CORD ENTRY**

25 ft of neoprene cord, sealed against moisture.

#### **BEARINGS**

**Upper:** ball, single row, oil lubricated, for radial load. **Lower:** ball, single row, oil lubricated, for radial and thrust load.

#### MOTOR

NEMA B, three phase, 230 & 460 volts, 60 Hz, 1150 RPM, oil filled. Requires overload protection to be included in control panel.

## **MOISTURE SENSOR**


Normally open (N/O) included.


# **TEMPERATURE SENSOR**

Normally closed (N/C) included.

## **OPTIONAL EQUIPMENT**

Impeller trimming, additional cord, tungsten carbide seal, slide rail coupling.





MODEL	HP	VOLTS	PHASE	RPM	MAX AMPS	LOCKED ROTOR AMPS	NEMA CODE	CORD SIZE	CORD TYPE	CORD LENGTH	WEIGHT
CP8NC36036	36	230	3	1150	90	434	Е	2/3	3G	25'	928
CP8NC36046	36	460	3	1150	45	217	Е	2/3	3G	25'	928
CP8NC48046	48	460	3	1150	65	290	Е	2/3	3G	25'	986

### **IMPORTANT!**

1. Never use this pump to handle explosive liquids. 2. This pump is not approved to be used in swimming pools, recreational installations or any application where human contact may be common. 3. Pump may be operated "dry" for extended periods without damage to motor &/or seals. 4. Testing is performed with water specific gravity of 1.0 @ 68 °F (20 °C); other fluids may vary performance.